



ONGC Petro additions Limited

CIN: U23209GJ2006PLCO60282

Plant site: Plot #Z-1 & Z-83, C/o. Dahej SEZ Ltd., P.O. Dahej, Taluka Vagra,
Dist. Bharuch – 392130, Gujarat, India. | Tel.: 02641-666000 | Fax.: 02641-666110

OPaL/DHJ/COO Office/26-27/04

Date: 18.05.2026

To,
The IRO of MoEF & CC
"KARMAYOGI BHAWAN"
Block-3, F-2 Wing, 5th Floor,
Near CH -3 Circle, Sector 10-A,
Gandhinagar – 382010
India.

Subject: Submission of six-monthly Compliance Report of Environmental Clearance


Ref: EC issued vide letter No. J-11011/316/2006-IA II (I) dated 21/11/2007, EC extension vide letter no. J-11011/316/2006-IA II (I) dated 01/03/2013 and EC amendment vide letter no. J-11011/316/2006-IA II (I) dated 30/09/2015

Dear Sir,

With reference to above mentioned subject, kindly find enclosed herewith compliance report (encl. as **Annexure – A**) of Environmental Clearance issued by MoEF & CC vide letter No. J-11011/316/2006-IA II (I) dated 21/11/2007 for our unit M/s. ONGC Petro additions Ltd. (OPaL) for the period of October 2025 to March 2026.

Thanking you
Yours sincerely,

For, M/s. ONGC Petro additions Ltd. (OPaL),


Arup Jhampri
COO – OPaL

Encl.: A/a.

ANNEXURE A
COMPLIANCE STATUS REPORT OF ENVIRONMENTAL CLEARANCE

EC issued vide letter no. F. No. J-11011/316/2006-IA II (I) on 21/11/2007

Sr No	EC Condition	Compliance Status (As on 31/03/2026)
2.	<p>The Ministry of Environment and Forest has examined your application. It is observed that the M/s. ONGC Petro additions Ltd (OPaL) propose to set up a petrochemical complex at a distance of 10 km towards east of C2, C3 & C4 extraction plant which is a feed stock supplier and Petronet LNG Limited Terminal near village Ambheta in Dahej SEZ. A list of products to be manufactured is given at Annexure. Total area required for the petrochemical complex is 492 ha. And is located in Seismic Zone – 3. It is noted that water requirement will be 1,30,320 m³d. However, with the proposed recovery of 31920 m³d of water from the cooling tower blow down and cooling water, the net water requirement would be 98400 m³d and will be met from the Narmada River supplied by GIDC. Power requirement of 208 MW will be met from Power Plant in Dahej SEZ. Both process effluent and contaminated rain water effluent will be treated in the waste water treatment plant and reused in DM plant. The RO reject from DM plant will be disposed of into gulf of Cambay through effluent disposal pipeline. The treated processed effluent of 3000 m³D AND 2160 m³d of sanitary waste water would meet the MINAS standard and proposed to be used as RO plant feed. Hazardous waste as per the category will be sold to the authorized recyclers, incinerated in the incinerator or disposed of in the secured landfill facility. It is noted that public hearing of the project was held on 21.07.2007. Cost of the project is Rs. 13,540 crores.</p>	<p>Earlier unit has obtained EC vide letter no. J-11011/316/2006-IA II (I) on 21/11/2007 and after then, extension letter on 01/03/2013.</p> <p>After that, unit has obtained amendment in EC vide letter no. J-11011/316/2006-IA II (I) on 30/09/2015.</p> <p>Copies of EC letters are attached as Appendix-1.</p> <p>Unit is carrying out production activity as per granted EC letter.</p>
-	<p>Fresh water consumption during the compliance period is 32,705 KL/day, which shows that it does not exceed 98,400 KL/day and fresh water is being source through GIDC.</p>	

P.resh

by

Sr No	EC Condition	Compliance Status (As on 31/03/2026)
Details of Fresh Water Consumption		
-		
Month		Fresh Water
Oct-25		921591
Nov-25		985803
Dec-25		1032923
Jan-26		1037943
Feb-26		1018872
Mar-26		955224
Total		59,52,356.00
Avg./Day		32,705
-		
3	The project has been considered in accordance with para {2.1 (2.1.1) (ii)} intent operational guidelines dated 13 th October 2006 issued by the Ministry of Environment and Forests under Para 12 of the EIA Notification, 2006.	--
4	Based on the information submitted by you, the Ministry of Environment and Forests hereby accords environmental clearance to above project under the provisions of Environmental Impact Assessment Notification dated 14 th September 2006 subjected to the compliance of the following Specific and General conditions.	--

Handwritten signature

Handwritten signature

Sr. No.	EC Condition	Compliance Status (As on 31/03/2026)
A	SPECIFIC CONDITIONS:	
i	Ambient air quality monitoring stations [SPM, SO ₂ , NO _x and NHMC] shall be set up in the petrochemical complex in consultation with SPCB based on occurrence of maximum ground level concentration and down wind direction of wind. The monitoring network must be decided based on modelling exercise to represent sort term GLCs. Continuous on-line stack monitoring system shall be monitored and submitted to the SPCB/Ministry.	<p>Complied.</p> <p>Considering the GLCs obtained from Ambient Air modelling, Ambient Air monitoring has been carried out at three locations during compliance period through third party NABL accredited/ MoEFCC recognized Environmental Laboratories.</p> <p>Monitoring reports are attached as Appendix-2.</p> <p>Additionally, provision of Online Continuous Emission Monitoring System (OCEMS) is also provided to the stacks and data of the same are being submitted to GPCB portal on regular basis.</p>

Ambient Air Quality Monitoring Data (Period of October 2025 to March 2026)

Location: AAQM-1: (Near 220 KV Switch Yard Control Room)													
Month		PM10	PM2.5	SO2	NO2	CO	O3	NH3	Pb	As	Ni	C6H6	B(a)P
Oct-25	Min	53.9	25.1	16.4	21.5	0.31	5.2	BDL	BDL	BDL	BDL	BDL	BDL
	Max	80.3	43.5	30.7	34.5	0.73	12.4	BDL	BDL	BDL	BDL	BDL	BDL
Nov-25	Min	68.5	32.2	23.4	31.2	0.66	7.6	BDL	BDL	BDL	BDL	BDL	BDL
	Max	84.2	46.7	35.3	43.9	0.8	13.2	BDL	BDL	BDL	BDL	BDL	BDL
Dec-25	Min	60.3	19.6	16.4	23.3	0.61	6.4	BDL	BDL	BDL	BDL	BDL	BDL
	Max	80.1	39.2	32.7	40.2	0.81	13.6	BDL	BDL	BDL	BDL	BDL	BDL
Jan-26	Min	64.3	25	14	19.1	0.65	6.76	BDL	BDL	BDL	BDL	BDL	BDL
	Max	79.1	38.5	28	34.6	0.79	12.8	BDL	BDL	BDL	BDL	BDL	BDL
Feb-26	Min	65.3	26.8	11.6	17	0.64	6.4	BDL	BDL	BDL	BDL	BDL	BDL
	Max	80.2	39.7	23.4	31.1	0.79	16.5	BDL	BDL	BDL	BDL	BDL	BDL
Mar-26	Min	76.5	30.6	12.2	18.5	0.63	5.8	BDL	BDL	BDL	BDL	BDL	BDL
	Max	84.7	45.3	19.1	25.5	0.74	10.3	BDL	BDL	BDL	BDL	BDL	BDL

Location: AAQM-2: Near Sub Station:15													
Month		PM10	PM2.5	SO2	NO2	CO	O3	NH3	Pb	As	Ni	C6H6	B(a)P
Oct-25	Min	52.9	26.7	9.4	14.7	0.14	5.6	BDL	BDL	BDL	BDL	BDL	BDL
	Max	79.2	39.8	25.9	32.1	0.64	14.4	BDL	BDL	BDL	BDL	BDL	BDL
Nov-25	Min	69.3	28.4	16.4	22.9	0.45	6.4	BDL	BDL	BDL	BDL	BDL	BDL
	Max	80.2	41	28.2	36	0.69	12.4	BDL	BDL	BDL	BDL	BDL	BDL
Dec-25	Min	62.3	23.8	11.6	17.9	0.41	6.4	BDL	BDL	BDL	BDL	BDL	BDL
	Max	80.2	39.7	25.6	33.5	0.55	15.2	BDL	BDL	BDL	BDL	BDL	BDL
Jan-26	Min	65.4	24.6	11.6	16.6	0.43	6.8	BDL	BDL	BDL	BDL	BDL	BDL
	Max	79.5	38	23.4	31.9	0.54	14.4	BDL	BDL	BDL	BDL	BDL	BDL
Feb-26	Min	67	26.3	9.4	17.1	0.41	7.2	BDL	BDL	BDL	BDL	BDL	BDL
	Max	81.2	40.5	21.1	28.2	0.55	16.5	BDL	BDL	BDL	BDL	BDL	BDL
Sep-25	Min	68.2	27.3	13.4	19.8	0.36	5.3	BDL	BDL	BDL	BDL	BDL	BDL
	Max	79.6	40.3	20.2	26.4	0.5	15.8	BDL	BDL	BDL	BDL	BDL	BDL

Petish

by

Sr. No.	EC Condition		Compliance Status (As on 31/03/2026)											
	-													
	Location: AAQM-3: Near SL-14 Fire Reservoir													
	Month		PM ₁₀	PM _{2.5}	SO ₂	NO ₂	CO	O ₃	NH ₃	Pb	As	Ni	C ₆ H ₆	B(a)P
	Oct-25	Min	52.9	25.5	9.4	14.7	0.21	5.2	BDL	BDL	BDL	BDL	BDL	BDL
		Max	79.2	40.1	25.7	33.4	0.85	17.6	BDL	BDL	BDL	BDL	BDL	BDL
	Nov-25	Min	68.5	28	14.1	22.5	0.33	8.8	BDL	BDL	BDL	BDL	BDL	BDL
		Max	78.1	38.8	30.7	37.2	0.62	15.2	BDL	BDL	BDL	BDL	BDL	BDL
	Dec-25	Min	64.3	25.8	11.6	19.6	0.38	7.2	BDL	BDL	BDL	BDL	BDL	BDL
		Max	85	44.7	27.9	33.4	0.53	15.2	BDL	BDL	BDL	BDL	BDL	BDL
	Jan-26	Min	68.9	29.2	14	19.5	0.33	6.8	BDL	BDL	BDL	BDL	BDL	BDL
		Max	84	43.8	25.7	33.5	0.46	12.8	BDL	BDL	BDL	BDL	BDL	BDL
	Feb-26	Min	70.2	29.7	13.9	20.1	0.35	7.7	BDL	BDL	BDL	BDL	BDL	BDL
		Max	84.5	43.4	23.4	30.1	0.5	16	BDL	BDL	BDL	BDL	BDL	BDL
	Mar-26	Min	60.7	24.2	10.4	16.8	0.3	6	BDL	BDL	BDL	BDL	BDL	BDL
		Max	72.3	32.7	25.5	32.1	0.52	13.2	BDL	BDL	BDL	BDL	BDL	BDL
	-													
ii	Continuous monitoring of AAQ shall be carried out at least at three locations and data displayed on the website.		Complied. Continuous monitoring has been carried out at three different locations and data in form of EC Compliance report is being displayed on the website.											
iii	Fugitive emissions of HC from product storage tank yards etc. must be regularly monitored. Sensors for detecting HC leakage shall also be provided at strategic locations. The company shall use low Sulphur fuel to minimize SO ₂ emission.		Complied. Fugitive emissions are being monitored in hydrocarbon-prone locations, and gas detectors are installed near probable leakage sources to detect and alert in the event of an HC leak. The unit is using use low-sulfur fuels to reduce SO ₂ emissions.											
iv	The company shall install online O ₂ monitor in the furnaces and boilers shall be operated with minimum excess air for optimal fuel consumption and to minimize NO _x emission, Fire stack burners and steam injection system shall be designed for smokeless operation to minimize NO _x emission.		Complied Unit has installed O ₂ monitor in the furnaces and boilers to minimize NO _x emission. Unit has also installed fire stack burners and steam injection systems to minimize NO _x emission.											
v	For control of fugitive emissions, the company shall provide for a main flare system and a auxiliary flare system, and route all unsaturated hydrocarbons to the flare system. All the pumps and other equipment's where there is likelihood of HC leakages shall be provided		Complied. The unit has provided both a main and an auxiliary flare system, and all unsaturated HC was directed to it.											

Handwritten signature in blue ink.

Handwritten signature in blue ink.

Sr. No.	EC Condition	Compliance Status (As on 31/03/2026)
vii	The company shall ensure that no halogenated organic is sent to the flares. If any of the halogenated organic are present then the respective streams may be incinerated. If there are in technically feasible or economically viable reduction/recover options. Any stream containing organic carbon, other than halogenated shall be connected to proper flaring system, if not to a recovery device or an incinerator.	Complied. Halogenated organic compounds are not used in the process during compliance period.
viii	All new standards/norms that are being proposed by the CPCB for petrochemical plants and notified subsequently shall be applicable for the proposed unit.	Noted and shall be complied whenever applicable.
ix	Flue gas emissions from the various stacks attached to the boilers, furnaces/heaters shall conform to the prescribed standards.	Complied. Flue gas emission monitoring has been carried out by MoEFCC approved third party environmental laboratories at regular period. Monitoring reports are attached as Appendix-2 .
x	The effluent generation shall not exceed 35520 m ³ /d. The waste water generated shall be treated in waste water treatment plant. As reflected in the EIA/EMO report, the company shall maximize the recycling of treated effluent and treated effluent (3600 m ³ /d) after conforming to the prescribed standards shall be discharged into the deep sea through effluent disposal pipeline. A holding pond for treated effluent for bio assay test shall be constructed before discharging the effluent into the sea. The domestic effluent (2160 m ³ /d) after treatment and conforming to the prescribed standards shall be discharged along with industrial effluent. A proper drainage system shall be provided for storm water drain.	Noted and same is being complied. Total industrial waste water generated during the compliance period is 7,423 KL/day, which shows that it does not exceed 35,520 KLD. Unit has provided RO based tertiary treatment and used treated water as make up water for cooling tower. Unit is treating domestic effluent into separate package unit and treated domestic effluent is recycled in RO based tertiary system. Month wise effluent generation is provided below

Jateesh

by

Sr. No.	EC Condition	Compliance Status (As on 31/03/2026)																		
	<p align="center">Details of Industrial Wastewater Generation</p> <table border="1" data-bbox="267 336 1372 661"> <thead> <tr> <th data-bbox="267 336 820 378">Month</th> <th data-bbox="820 336 1372 378">Industrial Effluent</th> </tr> </thead> <tbody> <tr> <td data-bbox="267 378 820 420">Oct-25</td> <td data-bbox="820 378 1372 420">191872</td> </tr> <tr> <td data-bbox="267 420 820 462">Nov-25</td> <td data-bbox="820 420 1372 462">218929</td> </tr> <tr> <td data-bbox="267 462 820 504">Dec-25</td> <td data-bbox="820 462 1372 504">261288</td> </tr> <tr> <td data-bbox="267 504 820 546">Jan-26</td> <td data-bbox="820 504 1372 546">220578</td> </tr> <tr> <td data-bbox="267 546 820 588">Feb-26</td> <td data-bbox="820 546 1372 588">214595</td> </tr> <tr> <td data-bbox="267 588 820 630">Mar-26</td> <td data-bbox="820 588 1372 630">243771</td> </tr> <tr> <td data-bbox="267 630 820 661">Total</td> <td data-bbox="820 630 1372 661">13,51,033</td> </tr> <tr> <td data-bbox="267 661 820 682">Avg./Day</td> <td data-bbox="820 661 1372 682">7,423</td> </tr> </tbody> </table>	Month	Industrial Effluent	Oct-25	191872	Nov-25	218929	Dec-25	261288	Jan-26	220578	Feb-26	214595	Mar-26	243771	Total	13,51,033	Avg./Day	7,423	
Month	Industrial Effluent																			
Oct-25	191872																			
Nov-25	218929																			
Dec-25	261288																			
Jan-26	220578																			
Feb-26	214595																			
Mar-26	243771																			
Total	13,51,033																			
Avg./Day	7,423																			
xi	The company shall obtain necessary approval from the State Irrigation Department to meet the water requirement.	<p>Noted.</p> <p>However, fresh water requirement is being fulfilled through GIDC water supply system of Dahej SEZ Ltd.</p>																		
xii	The company shall undertake rainwater harvesting measures to recharge the ground water and also to minimize the water drawl from the Narmada River.	<p>Complied.</p> <p>Rainwater harvesting systems are provided around the administration building to collect rainwater from the buildings.</p> <p>Contaminated rainwater from the process units is transferred to a wastewater collection and treatment system and treated in a separate Contaminated Rainwater Treatment System and reused within plant premises.</p>																		
xiii	Green belt shall be raised in an area of 52.5 ha to mitigate the fugitive emissions from the plant. Selection of plant species shall be as per the Central Pollution Control Board guidelines.	<p>Complied.</p> <p>Unit has developed greenbelt within plant premises to minimize the fugitive emissions.</p>																		
xiv	Occupational Health Surveillance of the workers should be done on a regular basis and maintained as per the Factories Act.	<p>Complied.</p> <p>Occupational health surveillance of the employees is being carried out on regular basis and records maintained as per the Factories Rules.</p> <p>A separate Occupational Health Centre is developed to carry out the different activities of occupational health services.</p> <p>Health check-up reports of employees are attached as Appendix-5.</p>																		

Patel

by

Sr. No.	EC Condition	Compliance Status (As on 31/03/2026)
xv	The company shall comply with all the recommendations made in the EIA/EMP report and risk assessment report.	Noted and complied.
B	GENERAL CONDITIONS:	
i	No further expansion or modernization in the plant shall be carried out without prior approval of the Ministry of Environment and Forests.	Noted. Unit assure that unit will not do any further expansion or modification till unit will get necessary permission for the authority.
ii	The gaseous emissions (SO ₂ , NO _x , CO, NMHC, Cl ₂ and HCl) from the various process units should conform to the standards prescribed under Environment (Protection) Rules, 1986 or norms stipulated by the SPCB whichever is more stringent. In the event of failure of pollution control systems (s) adopted by the unit, the respective unit should be restarted until the control measures are rectified to achieve the desire efficiency.	Complied. Unit has provided appropriate APCM for control of flue and process gas emission. Process gas emission monitoring has been carried out by MoEFCC approved third party environmental laboratories on regular period. Monitoring reports are attached as Appendix-2 .
iii	At no time, the emissions should go beyond the prescribed standards. In the event of failure of any pollution control system adopted by the units, the respective unit should be immediately put out of operation and should not be restarted until the desired efficiency has been achieved.	
iv	The overall noise levels in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all source of noise generation. The ambient noise levels should conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time.)	Complied. Noise monitoring has been carried out by third party environmental laboratories on regular period. Also, unit has noise control measures like acoustic hoods, silencers, enclosures etc. on all sources of noise generation i.e., D G set & boiler room.
v	The project authorities must strictly comply with the provisions made in Manufacture, Storage and Import of Hazardous Chemicals Rules 1989 as amended in 2000 for handling of hazardous chemicals etc. Necessary approvals from chief Controller of	Complied. Unit has prepared compliance of Manufacture, Storage and Import of Hazardous Chemicals Rules 1989 as amended in 2000 for handling of hazardous chemicals.

Accepted

By

Sr. No.	EC Condition	Compliance Status (As on 31/03/2026)
	Explosives must be obtained before commission of the project.	
vi	The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Wastes (Management and Handling) Rules, 2003. Authorization from the State Pollution Control Board must be obtained for collections/treatment/storage/disposal of hazardous wastes.	Complied. Unit strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Wastes (Management and Handling) Rules, 2003. Unit is also a member of GPCB approved TSDF facility for disposal of hazardous waste and same are attached as Appendix-6 .
vii	The project authorities will provide adequate funds both recurring and non-recurring to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so provided should not be diverted for any other purposes.	Complied. ECTS operation cost during October 2025 to March 2026 is approx. 24.04 Crores.
viii	The stipulated conditions will be monitored by the Regional of this Ministry at Bhopal/Central Pollution Control Board/State Pollution Control Board. A six-monthly compliance report and the monitored data should be submitted to them regularly.	Noted and Same is being Complied. Earlier unit has submitted EC Compliance for the period of April 2025 to September 2025.
ix	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and Copies of the clearance letter are available with the State Pollution Control Board/Committee and may also be seen at website the Ministry of Environment and Forests at http://www.envfor.nic.in . This should be advertised within seven days from the date of issue of the clearance letter at least in two local newspaper that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the regional office.	Complied. Unit has provided advertisement in two local newspapers i.e., in Times of India (English newspaper) and Divya Bhaskar (Gujarati newspaper) on 10/07/2014.

Patesh

by

Sr. No.	EC Condition	Compliance Status (As on 31/03/2026)
x	The project authority shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	<p>Final approval of the project by the concerned authorities - Consolidated Consent & Authorization (CC&A) has been renewed by GPCB vide consent order No.: AWH-109305 on 08/07/2020, which is valid till 07/07/2025. Additionally, the Consolidated Consent & Authorization (CC&A) was further renewed under consent order No.: AWH-145079 on 24/06/2025, which is valid till 06/07/2030.</p> <p>A Copy of Consent to Established is placed as Appendix-3 & Consolidated Consent and Authorization is placed as Appendix-4.</p> <p>The date of commencing the land development work. - 05/05/2008</p>
5.	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Noted
6.	The Ministry reserves the right to stipulated additional conditions if found necessary. The company in a time bound manner will implement these conditions.	Noted
7.	The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Wastes (Management and Handling) Rules, 2003 and the Public Liability Insurance Act, 1991 along with their amendments and rules.	Noted

P. K. Singh

for